

#### TRANSPORTATION CABINET

Steven L. Beshear Governor Frankfort, Kentucky 40622 www.transportation.ky.gov/

Michael W. Hancock, P.E. Acting Secretary

February 24, 2010

Kentucky Division of Water ATTN: Jesse Robinson 200 Fair Oaks Frankfort, Kentucky 40601

SUBJECT: Request for Water Quality Certification

KY 7 Rockfall Mitigation @ Fusonia Perry County, Item No. 10-5005.00

Dear Mr. Robinson:

Submitted is a request for Water Quality Certification (WQC). The WQC application involves rockfall mitigation along KY state route 7 in Perry County. The area is prone to rockslides and often experiences falling rock onto the roadway. The excavated rock will be used to stabilize the left bank of the North Fork Kentucky River which is actively eroding and jeopardizing the stability of the roadway. All remaining excavated rock will be permanently stored in a proposed excess material site. For any stream impacts requiring mitigation, the KYTC proposes in-lieu fees (ILF) paid to the Kentucky Department of Fish and Wildlife Resources.

Enclosed is a WQC application for your review. If you have any questions or need additional information, please contact me at (502) 564-7250 or by email at: ronb.rigneyii@ky.gov.

Sincerely,

Ronald B. Rigney, II

Division of Environmental Analysis Kentucky Transportation Cabinet

Rould B. Ligney

RECEIVED

MAR 0 1 2010

WATER QUALITY BRANCH



# COMMONWEALTH OF KENTUCKY NATURAL RESOURCES & ENVIRONMENTAL PROTECTION CABINET DEPARTMENT FOR ENVIRNOMENTAL PROTECTION DIVISION OF WATER

# APPLICATION FOR PERMIT TO CONSTRUCT ACROSS OR ALONG A STREAM AND / OR WATER QUALITY CERTIFICATION

Chapter 151 of the Kentucky Revised Statutes requires approval from the Division of Water prior to any construction or other activity in or along a stream that could in any way obstruct flood flows or adversely impact water quality. If the project involves work in a stream, such as bank stabilization, dredging or relocation, you will also need to obtain a 401 Water Quality Certification (WQC) from the Division of Water. This completed form will be forwarded to the Water Quality Branch for WQC processing. The project may not start until all necessary approvals are received from the KDOW. For questions concerning the WQC process, contact the WQC section at 502/564-3410.

If the project will disturb more than 1 acre of soil, you will also need to complete the attached Notice of Intent for Storm Water Discharges, and return both forms to the Floodplain management Section of the KDOW. This general permit will require you to create an implement an erosion control plan for the project.

	rankfort, KY 40622
TELEPHONE #:502-564-7250	EMAIL: ronb.rigneyii@ky.gov
AGENT:Ronald B. Rigney, II	
ADDRESS:200 Mero Street Frankfort, KY	40622
TELEPHONE #:502-654-7250	EMAIL: ronb.rigneyii@ky.gov
ENGINEER:N/A	P.E. NUMBER: N/A
DESCRIPTION OF CONSTRUCTION: _KY 7	Rockfall Mitigation @ Fusonia
COUNTY:Perry N	NEAREST COMMUNITY: _Fusonia
COUNTY:Perry N USGS QUAD NAME_Vicco	
COUNTY:Perry N USGS QUAD NAMEVicco STREAM NAME:North Fork KY River and	NEAREST COMMUNITY: _Fusonia LATITUDE/LONGITUDE: 37.158389/-83.087772 unnamed tributaries WATERSHED SIZE (in acres): 32

RECEIVED

MAR n 1 2010

WATER QUALITY BRANCH

10. 11.	IS ANY PORTION OF THE REQUESTED PROJECT NOW COMPLETE? Yes 🗹 No If yes, identify the completed portion on the drawings you submit and indicate the date activity was completed. DATE:ESTIMATED BEGIN CONSTRUCTION DATE: _Summer 2010
12.	ESTIMATED END CONSTRUCTION DATE: _Summer 2012
13. attach 14.	HAS A PERMIT BEEN RECEIVED FROM THE US ARMY, CORPS of ENGINEERS? Yes ☑ No If yes, a copy of that permit.  THE APPLICANT MUST ADDRESS PUBLIC NOTICE:
	(a) PUBLIC NOTICE HAS BEEN GIVEN FOR THIS PROPOSAL BY THE FOLLOWING MEANS:  Public notice in newspaper having greatest circulation in area (provide newspaper clipping or affidavit)  Adjacent property owner(s) affidavits (Contact Division of Water for requirements.)
	(b) I REQUEST WAIVER OF PUBLIC NOTICE BECAUSE:
	Contact Division of Water for requirements.
15.	I HAVE CONTACTED THE FOLLOWING CITY OR COUNTY OFFICIALS CONCERNING THIS PROJECT:
	Give name and title of person(s) contacted and provide copy of any approval city or county may have issued.
16.	LIST OF ATTACHMENTS:Section 404/410 application is attached.
	List plans, profiles, or other drawings and data submitted. Attach a copy of a 7.5 minute USGS
	topographic map clearly showing the project location.
17.	I, (owner) CERTIFY THAT THE OWNER OWNS OR HAS EASEMENT RIGHTS ON ALL PROPERTY
	ON WHICH THIS PROJECT WILL BE LOCATED OR ON WHICH RELATED CONSTRUCTION WILL
	OCCUR (for dams, this includes the area that would be impounded during the design flood).
18.	REMARKS:
	I hereby request approval for construction across or along a stream as described in this application and any accompanying documents. To the best of my knowledge, all the information provided is true and correct.
	SIGNATURE: Owner or Agent sign here. Of signed by Agent, a Power of Attorney should be attached.)
	Owner or Agent sign here. (If signed by Agent, a Power of Attorney should be attached.)  DATE: 2/22/2010
	SIGNATURE OF LOCAL FLOODPLAIN COORDINATOR:
	Permit application will be returned to applicant if not properly endorsed by the local floodplain coordinator.
	<b>DATE:</b>
	SUBMIT APPLICATION AND ATTACHMENTS TO:

Floodplain Management Section Division of Water 14 Reilly Road

#### **ATTACHMENT**

#### PRELIMINARY JURISDICTIONAL DETERMINATION FORM

#### **BACKGROUND INFORMATION**

- A. REPORT COMPLETION DATE FOR PRELIMINARY JURISDICTIONAL DETERMINATION (JD): 02/19/2010
- B. NAME AND ADDRESS OF PERSON REQUESTING PRELIMINARY JD: Kentucky Transportation Cabinet, 200 Mero St. Frankfort, KY 40622 Ronald Rigney II
- C. DISTRICT OFFICE, FILE NAME, AND NUMBER:Louisville District, KY KY 7 Rockfall Mitigation @ Fusonia, Perry County, KYTC #10-5005
- D. PROJECT LOCATION(S) AND BACKGROUND INFORMATION: (USE THE ATTACHED TABLE TO DOCUMENT MULTIPLE WATERBODIES AT DIFFERENT SITES)

State:KY County/parish/borough: Perry City: Fusonia Center coordinates of site (lat/long in degree decimal format): Lat. 37.158389° **Pick List**, Long. -83.087772° **Pick List**.

Universal Transverse Mercator:

Name of nearest waterbody: North Fork KY River

Identify (estimate) amount of waters in the review area:

Non-wetland waters: 1162 linear feet: various width (ft) and/or 0.15 acres.

Cowardin Class: Riverine

Stream Flow: Perennial (288 ft) Intermittent (789 ft) Ephemeral (85 ft)

Wetlands: 0 acres. Cowardin Class:

Name of any water bodies on the site that have been identified as Section 10 waters:

Tidal:

Non-Tidal:

E.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THA	AΤ
<b>APPL</b>	) <b>:</b>	

	Office (Desk) Determ	nination.	Date: 02/19/2010
$\boxtimes$	Field Determination.	Date(s)	: 01/14/2010

1. The Corps of Engineers believes that there may be jurisdictional waters of the United States on the subject site, and the permit applicant or other affected party who requested this preliminary JD is hereby advised of his or her option to

request and obtain an approved jurisdictional determination (JD) for that site. Nevertheless, the permit applicant or other person who requested this preliminary JD has declined to exercise the option to obtain an approved JD in this instance and at this time.

2. In any circumstance where a permit applicant obtains an individual permit, or a Nationwide General Permit (NWP) or other general permit verification requiring "pre-construction notification" (PCN), or requests verification for a non-reporting NWP or other general permit, and the permit applicant has not requested an approved JD for the activity, the permit applicant is hereby made aware of the following: (1) the permit applicant has elected to seek a permit authorization based on a preliminary JD, which does not make an official determination of jurisdictional waters; (2) that the applicant has the option to request an approved JD before accepting the terms and conditions of the permit authorization, and that basing a permit authorization on an approved JD could possibly result in less compensatory mitigation being required or different special conditions; (3) that the applicant has the right to request an individual permit rather than accepting the terms and conditions of the NWP or other general permit authorization; (4) that the applicant can accept a permit authorization and thereby agree to comply with all the terms and conditions of that permit, including whatever mitigation requirements the Corps has determined to be necessary; (5) that undertaking any activity in reliance upon the subject permit authorization without requesting an approved JD constitutes the applicant's acceptance of the use of the preliminary JD, but that either form of JD will be processed as soon as is practicable; (6) accepting a permit authorization (e.g., signing a proffered individual permit) or undertaking any activity in reliance on any form of Corps permit authorization based on a preliminary JD constitutes agreement that all wetlands and other water bodies on the site affected in any way by that activity are jurisdictional waters of the United States, and precludes any challenge to such jurisdiction in any administrative or judicial compliance or enforcement action, or in any administrative appeal or in any Federal court; and (7) whether the applicant elects to use either an approved JD or a preliminary JD, that JD will be processed as soon as is practicable. Further, an approved JD, a proffered individual permit (and all terms and conditions contained therein), or individual permit denial can be administratively appealed pursuant to 33 C.F.R. Part 331, and that in any administrative appeal, jurisdictional issues can be raised (see 33 C.F.R. 331.5(a)(2)). If, during that administrative appeal, it becomes necessary to make an official determination whether CWA jurisdiction exists over a site, or to provide an official delineation of jurisdictional waters on the site, the Corps will provide an approved JD to accomplish that result, as soon as is practicable. This preliminary JD finds that there "may be" waters of the United States on the subject project site, and identifies all aquatic features on the site that could be affected by the proposed activity, based on the following information:

SUPPORTING DATA. Data reviewed for preliminary JD (check all that apply - checked items should be included in case file and, where checked and requested, appropriately reference sources below):

Maps, plans, plots or plat submitted by or applicant/consultant:KYTC.      Data shoots propagal (submitted by or applicant).      Data shoots propagal (submitted by or	
Data sheets prepared/submitted by or on applicant/consultant. KYTC	i benair of the
Office concurs with data sheets/deline	
Office does not concur with data shee	ets/delineation report.
☐ Data sheets prepared by the Corps:	•
☐ Corps navigable waters' study:	
<ul><li>☐ U.S. Geological Survey Hydrologic Atlas:</li><li>☐ USGS NHD data.</li><li>☐ USGS 8 and 12 digit HUC maps.</li></ul>	
U.S. Geological Survey map(s). Cite scal	le & quad name:
USDA Natural Resources Conservation S	Service Soil Survey. Citation:
•	
☐ National wetlands inventory map(s). Cite	e name:
State/Local wetland inventory map(s):	
☐ FEMA/FIRM maps: .	
☐ 100-year Floodplain Elevation is: (N of 1929)	ational Geodectic Vertical Datum
☑ Photographs: ☐ Aerial (Name & Date): or ☑ Other (Name & Date): KY	ΓC #10-5005 - 01/14/2010.
☐ Previous determination(s). File no. and o	
Other information (please specify):	
IMPORTANT NOTE: The information recorde necessarily been verified by the Corps and slater jurisdictional determinations.	
Signature and date of Regulatory Project Manager (REQUIRED)	Signature and date of person requesting preliminary JD (REQUIRED, unless obtaining the signature is impracticable)

#### SAMPLE

Site number	Latitude	Longitude	Cowardin Class	Estimated amount of aquatic resource in review area	Class of aquatic resource
1	37.158311	-83.087887	Riverine	85 linear feet	Ephemeral
2	37.158389	-83.087772	Riverine	288 linear feet	Perennial
3	37.180238	-83.093692	Riverine	789 linear feet	Intermittent

#### KYTC #10-5005.00

#### **Property Owners**

Othelle Hall

Mary E. Woods

Green T. & Patricia McIntyre

Green T. McIntyre Heirs

Jerry & Karen McIntyre


**Ruby & Dennis Pagans** 

James & Elaine W. McIntyre

Leroy Lackey

**Earl Cuddy** 

# KY 7 Rockfall Mitigation @ Fusonia



Perry County, KY Kentucky River Basin KYTC Item #10-5005.00

14 digit HUC Boundary

 $G_{ij}^{(n)}$ 

# KY 7 Rockfall Mitigation @ Fusonia



Perry County, KY Kentucky River Basin KYTC Item #10-5005.00

#### PERRY COUNTY KYTC #10-5005.00

#### KY 7 Rockfall Mitigation at Fusonia

#### **SUMMARY OF SECTION 404 IMPACTS**

#### **KY 7 Impacts**

- 1. Station 111+00 (37.158311/-83.087887): Construct 45 feet of culvert pipe with 70 feet of outlet channel on an unnamed tributary (Ephemeral #2) to the North Fork Kentucky River. This replaces 30 feet of existing pipe and 85 feet of ephemeral stream. The watershed at this location is less than 50 acres. The impact to U.S. Waters at this location will be 0.006 acre.
- 2. Station 111+50 (37.158389/-83.087772): Stabilize 288 feet of left bank on the North Fork Kentucky River (Perennial #1). The river at this location is currently eroding and undermining the stability of KY 7 and jeopardizing the safety of motorists. The material used for the bank stabilization will be excess material ("shot rock") generated from the rockfall mitigation activity. There will be approximately 165 cubic yards of rock embankment below the ordinary high water mark. The North Fork KY River at this location is perennial in nature with a watershed of 328 square miles. The impact to U.S. Waters at this location will be less than 0.10 acre.


#### **Excess Material Site Impacts**


3. Lackey/Cuddy Excess Material Site (37.180238/-83.093692 to 37.181897/-83.091973): Construct a controlled fill impacting 789 feet of an unnamed tributary (Intermittent #1) to the North Fork Kentucky River. This portion of the stream will be filled with excavated material from the rockfall mitigation activity. The drainage will be conveyed through a constructed channel on top of the fill material. Field investigations indicate this stream is intermittent in nature with a watershed of 175 acres. The impact to U.S. Waters at this location is 0.091 acre.


#### KYTC # 10-5005.00 KY 7 Rockfall Mitigation @ Fusonia Perry County, KY

Site	Stream Name	HUC #14	Lat/Long	Impact Category	Watershed	Stream Impact (ft)	Stream Impact (acres)	RBP Score	EII	In-Lieu Fee
1	Ephemeral #2	*05100201030090	37.158311/-83.087887	Culvert	<50 acres	85	<0.10	95	0.43	\$0.00
2	Perennial #1	*05100201030090	37.158389/-83.087772	Bank Stabilization	328 square miles	288	<0.10	136	0.45	\$0.00
3	Intermittent #1	*05100201030110	37.180238/-83.093692	Fill	175 acres	789	0.091	113	0.49	\$153,097.56


2/19/2010







# 10-5005 - Perry County -Fusonia Rockfall Mitigation Topographic Map & Fill Boundary



# Eff Calculation for High Gradient Streams in Eastern Kentucky Coalfield (Version 2002.6) "(Family Level Taxonomy - All Habitats)"

Project ID:	KYTC #10-5005.00
Stream/Reach:	Perennial #1 (North Fork KY River)
Assessment Objectives:	Section 404/401 Permit

Biggine repension

EII		Model	
NA NA	Ecologic	al Integrity Index (MBI + Hal	ital Integrity + Condu
0.45	Ecologic	al Integrity Index ( Habitat Ir	tegrity + Conductivity
Vanables	Measure	Units	
Enter quantitative or categorical measure from Fig.	eld Data Sheet	im shaded cells	
RBP Habitat Parameters		_	
1. Epifaunal Substrate	16	no units	
2. Embeddedness	15	no units	
3. Velocity/Depth Regime	13	no unds	
4. Sediment Deposition	.11	nu urats	
5. Channel Flow Status	16	ne units	
6. Channel Alteration	17	ทอ แกปร	
7. Freq. Of Riffles (bends)	17	no unas.	
8. Bank stability (both combined)	10	กอ units	
9. Veg. Protection (both combined)	9	no units	
10. Riparian Width (both combined)	11	na units	
Total Habitat Score [	136	no units	Subindex
Francisco Servicio de Constantino de Constantino de Constantino de Constantino de Constantino de Constantino d			
		- 1	
Macroinvertebrate Data - Family Level 11. Family Taxa Richness	(All Habita		70 c
12. Family EPT Richness		# of taxa sampled # or EPT species sampled	
13. % Ephemeroptera		% Mayfiles (4-100)	
14. % Chironomidae & Oligochaeta	_	% Migges & Worms (0-100)	
15. mFBI		<b>–</b>	
19. MCOI		no units	

### Ell Calculation for High Gradient Streams in Eastern Kentucky Coalfield (Version 2002.6) "(Family Level Taxonomy - All Habitats)"

Project ID:	KYTC #10-5005.00
Stream/Reach:	Ephemeral #2
Assessment Objectives:	Section 404/401 Permit

NA Ecological Integrity Index (MBI + Habitat Integrity + CONDUCTOR OF THE PROPRET	EII		Model	
Variables  Measure Units  Enter quantitative or categorical measure from Field Data Sheet in shaded delts  RBP Habitat Parameters  1. Epifaunal Substrate 2. Embeddedness 3. Velocity/Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. no units 6. Channel Alteration 17. no units 7. Freq. Of Riffles (bends) 8. Bank stability (both combined) 9. Veg. Protection (both combined) 10. Riparian Width (both combined) 11. Riparian Width (both combined) 12. Total Habitat Score  Macroinvertebrate Data - Family Level (All Habitats) 11. Family Taxa Richness 12. Family EPT Richness 13. % Ephemeroptera 13. % Ephemeroptera 14. % Chironomidae & Oligochaeta  Mounting  Word EPT Spoces sampled 15. Mayfles (0-100)  Minges & Worms (0-100)	NA	Ecological	integrity index (MBI + Hab	itat Integrity + C
Enter quantitative or categorical measure from Field Bata Sheet in shaded cetts  ### Habitat Parameters  1. Epifaunal Substrate  2. Embeddedness  5. no units  4. Sediment Deposition  7. no units  5. Channel Flow Status  1. no units  6. Channel Alteration  7. Freq. Of Riffles (bends)  8. Bank stability (both combined)  9. Veg. Protection (both combined)  10. Riparian Width (both combined)  11. Family Taxa Richness  12. Family EPT Richness  13. % Ephemeroptera  14. % Chironomidae & Oligochaeta  15. In ourits  16. In ourits  17. In ourits  18. In ourits  19. Subindex  **Subindex**  **Margies (0-100)  **Margies & Worms (0-100)  **Minges & Worms (0-100)  **Minges & Worms (0-100)	0.43	Ecological	integrity Index ( Habitat In	regnty + Condu
## A Proposition ## A P	Variables	Measure	Units	
1. Epifaunal Substrate 2. Embeddedness 3. Velocity/Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. no units 6. Channel Alteration 17. no units 8. Bank stability (both combined) 9. Veg. Protection (both combined) 10. Riparian Width (both combined) 11. Family Taxa Richness 12. Family EPT Richness 13. % Ephemeroptera 14. % Chironomidae & Oligochaeta 15. no units 17. no units 18. no units 19. no units 19. units	Enter quantitative or categorical measure from Fi	eld Data Sheel ii	shaded cells	
2. Embeddedness 3. Velocity/Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Industs 6. Channel Alteration 7. Freq. Of Riffles (bends) 8. Bank stability (both combined) 9. Veg. Protection (both combined) 10. Riparian Width (both combined) 11. Family Taxa Richness 12. Family EPT Richness 13. % Ephemeroptera 14. % Chironomidae & Oligochaeta 15. Industry 16. Industry 17. Industry 18. Industry 19. In	ABP Habitat Parameters		_	
3. Velocity/Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Freq. Of Riffles (bends) 8. Bank stability (both combined) 9. Veg. Protection (both combined) 10. Riparian Width (both combined) 11. Family Taxa Richness 12. Family EPT Richness 13. % Ephemeroptera 14. % Chironomidae & Oligochaeta 15. no units 17. no units 18. no units 19. no units 19. units 11. Family Taxa Richness 10. Subindex 11. Family Taxa Richness 12. Family EPT Richness 13. % Ephemeroptera 14. % Chironomidae & Oligochaeta 15. No units 16. no units 17. no units 18. no units 19. u			no units.	
4. Sediment Deposition 7 no units 5. Channel Flow Status 1 ne units 6. Channel Alteration 17 no units 7. Freq. Of Riffles (bends) 16 no units 8. Bank stability (both combined) 2 no units 9. Veg. Protection (both combined) 18 no units 10. Riparian Width (both combined) 18 no units  Total Habitat Score 95 no units  Total Habitat Score 95 no units  Subindex  Macroinvertebrate Data - Family Level (All Habitats) 11. Family Taxa Richness 1 of EPT spocwes sampled 13. % Ephemeroptera 95 Moges & Worms (in 100) 14. % Chironomides & Oligochaeta 95 Moges & Worms (in 100)			ne units	
5. Channel Flow Status 6. Channel Alteration 7. Freq. Of Riffles (bends) 8. Bank stability (both combined) 9. Veg. Protection (both combined) 10. Riparian Width (both combined) 11. Family Taxa Richness 12. Family EPT Richness 13. % Ephemeroptera 14. % Chironomidae & Oligochaeta 14. Schironomidae & Oligochaeta 15. Family EPT Richness 16. Family EPT Richness 17. Subindex 18. Subindex 19. Subind	3. Velocity/Depth Regime		no unita	
6. Channel Alteration 17 no units 7. Freq. Of Riffles (bends) 16 no units 8. Bank stability (both combined) 2 risurats 9. Veg. Protection (both combined) 16 no units 10. Riparian Width (both combined) 18 no units 11. Family Taxa Richness   If of taxa sampled 12. Family EPT Richness   If of taxa sampled 13. % Ephemeroptera   % Mayfles (0-100) 13. % Ephemeroptera   % Minges & Worms (0-100) 14. % Chironomide & Oligochaeta   % Minges & Worms (0-100) 15.			no units	
7. Freq. Of Rifftes (bends) 8. Bank stability (both combined) 9. Veg. Protection (both combined) 10. Riparian Width (both combined) 11. For a stable of the	5. Channel Flow Status	1	no units	
8. Bank stability (both combined) 9. Veg. Protection (both combined) 10. Riparian Width (both combined) 11. Formula Subindex  Macroinvertebrate Data - Family Level (All Habitats) 11. Family Taxa Richness 12. Family EPT Richness 13. % Ephemeroptera 13. % Ephemeroptera 14. % Chironomidee & Oligochaeta 15. Family EPT Richness 16. Family EPT Richness 17. Family EPT Richness 18. Mayfiles (0-100) 19. Minges & Worms (0-100)	6. Channel Alteration	17	na units	
9. Veg. Protection (both combined) 10. Riparian Width (both combined) 11. Total Habitat Score 95. us units  Macroinvertebrate Data - Family Level (All Habitats) 11. Family Taxa Richness 12. Family EPT Richness 13. % Ephemeroptera 13. % Ephemeroptera 14. % Chironomidee & Oligochaeta 15. Worms (in 100) 16. Worms 17. Worms 18. Worms (in 100) 18. Worms 19. W			no units	
10. Riparian Width (both combined)  Total Habitat Score  95   no units  Macroinvertebrate Data - Family Level (All Habitats) 11. Family Taxa Richness   It of taxa sampled   12. Family EPT Richness   If of taxa sampled   13. % Ephemeroptera   % Mayfles (0-100)   14. % Chironomidae & Oligochaeta   % Minges & Worms (0-100)			no units	
Total Habital Score  95   uc units  Macroinvertebrate Data - Family Level (All Habitats)  11. Family Taxa Richness   If of taxa sampled   12. Family EPT Richness   If of taxa sampled   13. % Ephemeroptera   % Mayfles (b. 100)   14. % Chironomidae & Oligochaeta   % Mayfles & Worms (b. 100)			no ents	
Macroinvertebrate Data - Family Level (All Habitats)  11. Family Taxa Richness	10. Riparian Width (both combined)	18	no units	
Macroinvertebrate Data - Family Level (All Habitats)  11. Family Taxa Richness # of teP1 species sampled  12. Family EPT Richness # of teP1 species sampled  13. % Ephemeroptera % Mayfiles (0-100)  14. % Chironomidae & Oligochaeta % Minges & Worms (0-100)	Total Habitat Score	95	uo anits	Subindex
11. Family Taxa Richness       # of taxa sampled         12. Family EPT Richness       # of EPT specws sampled         13. % Ephemeroptera       % Mayfiles (0-100)         14. % Chironomidae & Oligochaeta       % Minges & Worms (0-100)			10 mg	
12. Family EPT Richness       # of EPT species sampled         13. % Ephemeroptera       % Mayfles (0-100)         14. % Chironomidae & Oligochaeta       % Minges & Worms (0-100)		(All Habitats	টা	
13. % Ephemeroptera 14. % Chironomidae & Oligochaeta 9. Mayfiles (0-100) 9. Minges & Worms (0-100)				
14. % Chironomidae & Oligochaeta % Minges & Worms (in 190)				Ş
15. mFBIne unas		ļ	% Minges & Worms (in 190)	
	15. mFBI	L	ne unas	-

# Ell Calculation for High Gradient Streams in Eastern Kentucky Coalfield (Version 2002.6) "(Family Level Тахолому - All Habitats)"

Project ID:	KYTC #10-5005.00	
Stream/Reach:	Intermittent #1 (Lackey/Cuddy Excess Material Site)	
Assessment Objectives:	Section 404/401 Permit	

	EII	Model _		
	NA	Ecological	Integrity Index	MBI + Habitet Integrity + Conductivity)
	0.49	Ecological	integrity index	Habitat Integrity + Conductivity)
	Variables	Measure	Units	
>>>>>	Enter quantitative or categorical measure from F	ield Data Sheet in	rahaded çelis	
	RBP Habitat Parameters			
	Epifaunal Substrate	16	ric units	
	2. Embeddedness	7	ne units	
	3. Velocity/Depth Regime	10	no units	
	4. Sediment Deposition	5	no unda	
	5. Channel Flow Status	8	no units	
	6. Channel Alteration	18	no units	
	7. Freq. Of Riffles (bends)	16	rjo units	
	8. Bank stability (both combined)	4	no units	
	9. Veg. Protection (both combined)	14	no units	
	10. Riparian Width (both combined)	15	Ino unite	
	Total Habitat Score	113	no mits	Subindex
	Macroinvertebrate Data - Family Leve	d (All Habitats	i)	
	11. Family Taxa Richness		# of taxa sampled	
	12. Family EPT Richness		a of EPT species sa	aupled
	13. % Ephemeroptera		% Mayfires (ti-100)	
	14. % Chironomidae & Oligochaeta	i	% Midges & Woons	(0-100)
	15. mFBI		no units	
	<b>第</b> 月本 经营产品 的现在分词	1.4	11.5	. 1

#### KYTC #10-5005

#### Perennial #1 - North Fork KY River - Bank Stabilization



#### KYTC #10-5005

### Ephemeral #2 – unnamed trib to North Fork KY River



KYTC #10-5005

